

2731 Bartram Road Bristol, PA 19007-6893 800.385.3153 www.unitedchem.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME:

CHEMICAL: SILICA TYPE: LOT NUMBER: CUMPSC1875CB2CT

Specification Values

Mixture of MgSO4, CUPSA, CUCARB, CEC18 Irregular particles 40-63 micron, 60 Angstroms 038728-TL

Lot Analysis

Test	<u>Method</u>	Min	Max	
Average Pore Size	SOP82-4.042	55Å	65Å	60Å
Surface Area (m^2/g)	SOP82-4.042	470	530	$520 \text{ m}^2/\text{g}$
Pore Volume (cm^3/g)	SOP82-4.042	0.70	0.85	$0.79 \text{ cm}^{3}/\text{g}$
Appearance	Visual	White I	Fine Powder	White Fine Powder
MgSO4 (lot#814160-BD)				
Assay	Ignition	99.50%	100.5%	99.90%
• Total sorbent weight per tube (150mg)	C C	143	158	Conforms
CUPSA (lot#811101-GC)				
Carbon Analysis by Weight (Organic Loading)	SOP82-4.024	10.50%	12.50%	11.27%
Anion Exchange	SOP82-4.028	1.00	1.50	1.27meq/g
• Total sorbent weight per tube (50mg)		48	53	Conforms
CUCARB (lot#819260-DT)				
Graphitized carbon	SOP82-4.042			133m²/g
• Total sorbent weight per tube (7.5mg)		7.13	7.88	Conforms
CEC18 (lot#816180-BG)				
Carbon Analysis by Weight (Organic Loading)	SOP82-4.024	20.50%	22.70%	20.76%
Endcapping	SOP82-4.027	0.00abs	0.90abs	0.683abs
 Total sorbent weight per tube (50mg) 	501 02-4.027	48	53	Conforms
• Total solvent weight per tude (3011g)		+0	55	Comornis

• All components of this product are individually weighed. The mass of each raw material meets method required tolerances.

The shelf life is only valid if the material is stored in the original unopened container. The specifications and lot analysis are only valid using the listed methods. The test methods and specifications were current when the product was lotted.

CERTIFIED BY: NAME: L. Bender

TITLE: QC ANALYST

Certificate issue DATE: 02/08/2019

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226 Email: <u>info@unitedchem.com</u> Internet: HTTP://www.unitedchem.com