

2731 Bartram Road
Bristol, PA 19007-6893
800.385.3153
www.unitedchem.com

## CERTIFICATE OF ANALYSIS

**PRODUCT NAME: ECUNIPAH** 

CHEMICAL: OCTADECYL UNENDCAPPED BONDED SILICA SILICA TYPE: Irregular particles 40-63 micron, 60 Angstrom pores 039339-XF LOT NUMBER:

|   |   | <b>Specification Values</b>      |                                  | <b>Lot Analysis</b>                  |
|---|---|----------------------------------|----------------------------------|--------------------------------------|
| Test Average Pore Size Surface Area (m²/g) Pore Volume (cm³/g) pH EUC18 | Method<br>SOP82-4.042<br>SOP82-4.042<br>SOP82-4.042<br>Supplier | Min<br>55Å<br>470<br>0.70<br>6.5 | Max<br>65Å<br>530<br>0.85<br>7.5 | 60Å<br>493 m²/g<br>0.76 cm³/g<br>7.0 |
| Appearance<br>Carbon Analysis by Weight<br>(Organic Loading)            | Visual<br>SOP82-4.024   | White I 20.5%                    | Fine Powder 22.20%               | White Fine Powder 21.65%             |

The shelf life is only valid if the material is stored in the original unopened container. The specifications and lot analysis are only valid using the listed methods. The test methods and specifications were current when the product was lotted.

## **CERTIFIED BY:**

**NAME:** D. Shawn Ream

TITLE: QC MANAGER

Certificate issue DATE: 01/30/2019

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226

Email: <a href="mailto:info@unitedchem.com">info@unitedchem.com</a> Internet: HTTP://www.unitedchem.com