

2731 Bartram Road
Bristol, PA 19007-6893
800.385.3153
www.unitedchem.com www.unitedchem.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME: ECQUUS1115CT

CHEMICAL: Mixture of MgSO4, NaCl

LOT NUMBER: 068350-BO

		Specific	cation Values	Lot Analysis
<u>Test</u> MgSO4 (lot#223010-BO)	Method	Min	Max	
Assay Total sorbent weight per tube (800mg)	Ignition	99.50% 760	100.5% 840	100.1% Conforms
NaCl (lot#128110-BQ)				
Assay		99.00%		100.9%
• Total sorbent weight per tube (200mg)		190	210	Conforms

• All components of this product are individually weighed. The mass of each raw material meets method required tolerances.

The shelf life is only valid if the material is stored in the original unopened container. The specifications and lot analysis are only valid using the listed methods. The test methods and specifications were current when the product was lotted.

CERTIFIED BY: NAME: L. Bender

TITLE: QC Analyst

Certificate issue DATE: 06/06/2022

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226

Email: info@unitedchem.com Internet: HTTP://www.unitedchem.com