

UCT 2731 Bartram Road Bristol, PA 19007-6893 800.385.3153 www.unitedchem.com www.unitedchem.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME: CHEMICAL: SILICA TYPE: LOT NUMBER:

ECFUSAG Silver Ion Phase Irregular particles 40-63 micron 60 Angstrom pores 069855-GU

		Specification Values		<u>Lot Analysis</u>
Test	Method	Min	Max	
Appearance	Visual	Off White P	owder	Off White Powder
Average Pore Size	SOP82-4.042	55Å	65Å	60Å
Surface Area (m ² /g)	SOP82-4.042	470	530	496 m²/g
Pore Volume (cm^3/g)	SOP82-4.042	0.70	0.85	$0.75 \text{ cm}^{-3}/\text{g}$

The shelf life is only valid if the material is stored in the original unopened container. The specifications and lot analysis are only valid using the listed methods. The test methods and specifications were current when the product was lotted.

CERTIFIED BY:

NAME: L. Bender

TITLE: QC Analyst

Certificate issue DATE: 08/05/2022

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226 Email: info@unitedchem.com Internet: HTTP://www.unitedchem.com