2731 Bartram Road
Bristol, PA 19007-6893
800.385.3153
www.unitedchem.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME: EUSIL

CHEMICAL: SILICA PARTICLE

SILICA TYPE: Irregular particles 40-63 micron

073757-UZ LOT NUMBER:

| | | Specification Values | Lot Analysis |
|---|-------------|----------------------|------------------------------|
| <u>Test</u> | Method | Min Max | |
| Appearance | Visual | White Fine Powder | White Fine Powder |
| Average Pore Size | SOP82-4.042 | 55Å 65Å | 60Å |
| Surface Area (m ² /g) | SOP82-4.042 | 470 530 | $504 \text{m}^2/\text{g}$ |
| Pore Volume (cm ³ /g) | SOP82-4.042 | 0.62 1.02 | $0.74 \text{ cm}^3/\text{g}$ |
| Carbon Analysis by Weight (Organic Loading) | SOP82-4.024 | 3.00% 4.60% | 3.80% |
| GC/MS Profile | SOP82-4.022 | Report Only | Pass |

The shelf life is only valid if the material is stored in the original unopened container. The specifications and lot analysis are only valid using the listed methods. The test methods and specifications were current when the product was lotted.

CERTIFIED BY: NAME: D. Kearns

TITLE: QC Analyst

Certificate issue DATE: 01/30/2023

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226