

2731 Bartram Road Bristol, PA 19007-6893 800.385.3153 www.unitedchem.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME: CHEMICAL: SILICA TYPE: LOT NUMBER:

EUPSA n-2 AMINOETHYL BONDED PARTICLE Irregular particles 40-63 micron, 60 Angstrom pores 073907-HD

		Specification Values		Lot Analysis
<u>Test</u>	<u>Method</u>	<u>Min</u> 55Å	<u>Max</u> 65Å	
Average Pore Size	SOP82-4.042	55Å	65Å	60Å
Surface Area (m ² /g)	SOP82-4.042	470	530	504 m ² /g
Pore Volume ($cm^{3/g}$)	SOP82-4.042	0.70	0.85	$0.74 \text{ cm}^{3}/\text{g}$
Appearance	Visual	White F	Fine Powder	White Fine Powder
Carbon Analysis by Weight	SOP82-4.024	10.5%	12.5%	11.33%
(Organic Loading)				
Anion Exchange	SOP82-4.028	1.0	1.5	1.11meq/g
GC/MS Scan				Pass

The shelf life is only valid if the material is stored in the original unopened container. The specifications and lot analysis are only valid using the listed methods. The test methods and specifications were current when the product was lotted.

CERTIFIED BY:

NAME: L. Bender

TITLE: QC Analyst

Certificate issue DATE: 04/26/2023

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226 Email: info@unitedchem.com Internet: HTTP://www.unitedchem.com