2731 Bartram Road
Bristol, PA 19007-6893
800.385.3153
www.unitedchem.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME: ECFUSAG CHEMICAL: Silver Ion Phase

SILICA TYPE: Irregular particles 40-63 micron 60 Angstrom pores

078025-IG LOT NUMBER:

| | | Specification Values | | Lot Analysis |
|----------------------------------|-------------|-----------------------------|-------|------------------------------|
| <u>Test</u> | Method | <u>Min</u> | Max | |
| Appearance | Visual | Off White Po | owder | Off White Powder |
| Average Pore Size | SOP82-4.042 | 55Å | 65Å | 60Å |
| Surface Area (m ² /g) | SOP82-4.042 | 470 | 530 | $504 \text{ m}^2/\text{g}$ |
| Pore Volume (cm ³ /g) | SOP82-4.042 | 0.70 | 0.85 | $0.74 \text{ cm}^3/\text{g}$ |

The shelf life is only valid if the material is stored in the original unopened container. The specifications and lot analysis are only valid using the listed methods. The test methods and specifications were current when the product was lotted.

CERTIFIED BY: NAME: L. Bender

TITLE: QC Analyst

Certificate issue DATE: 08/22/2023

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226