

2731 Bartram Road Bristol, PA 19007-6893 800.385.3153 www.unitedchem.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME: CHEMICAL: LOT NUMBER: ECQUUS3315CT Mixture of MgSO4, CUCARB 078228-BS

		Specification Values		<u>Lot Analysis</u>
Test MgSO4 (lot#320220-BS) Assay • Total sorbent weight per tube (900mg)	<u>Method</u>	<u>Min</u>	Max	
	Ignition	99.50% 855	100.5% 945	100.0% Conforms
 CUCARB (lot#325110-EV) Graphitized carbon (Surface area) Total sorbent weight per tube (150mg) 	SOP82-4.042	142	158	133m ² /g Conforms

• All components of this product are individually weighed. The mass of each raw material meets method required tolerances.

The shelf life is only valid if the material is stored in the original unopened container. The specifications and lot analysis are only valid using the listed methods. The test methods and specifications were current when the product was lotted.

CERTIFIED BY: NAME: L. Bender

TITLE: QC Analyst

Certificate issue DATE: 08/25/2023

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226 Email: <u>info@unitedchem.com</u> Internet: HTTP://www.unitedchem.com