

2731 Bartram Road
Bristol, PA 19007-6893
800.385.3153
www.unitedobore.com www.unitedchem.com

CERTIFICATE OF ANALYSIS

PRODUCT NUMBER: ECSS15M6

PRODUCT NAME: Anhydrous Sodium Sulfate, ACS Grade, 10-60 Mesh

LOT NUMBER: 079522-DK

<u>S</u>	pecification Values	Lot Analysis
Test		
Appearance:	White Granules w/some powder	Pass
Assay:	99.0% Min.	99.90%
Calcium:	0.01% Max.	<0.01%
Chloride:	0.001% Max.	<0.001%
LOI:	0.5% Max.	<0.32%
Heavy Metals:	5ppm Max.	<5ppm
pH (5%):	5.2 - 9.2	7.3
Nitrogen Compounds:	5ppm Max.	<5ppm
Magnesium:	0.005% Max.	<0.005%
Potassium:	0.01% Max.	<0.01%
Iron:	0.001% Max.	<0.001%
Insoluble Matter:	0.01% Max.	< 0.0024%
Phosphate:	0.001% Max.	<0.001%
• Total sorbent weight per tube (5000mg)	4750min -5250max	Conforms

• Total sorbent weight per tube (5000mg) 4750min -5250max

• All components of this product are individually weighed. The mass of each raw material meets method required tolerances.

The shelf life for this product is 5 years from the date of shipment. The shelf life is only valid if the material is stored in the original unopened container. The test methods and specifications were current when the product was lotted.

CERTIFIED BY: NAME: D. Kearns

TITLE: QC Analyst

Certificate issue DATE: 10/25/2023

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226

Email: <u>info@unitedchem.com</u> Internet: HTTP://www.unitedchem.com