

UCT 2731 Bartram Road Bristol, PA 19007-6893 800.385.3153 www.unitedchem.com www.unitedchem.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME: CHEMICAL: SILICA TYPE: LOT NUMBER:

ECUNIPAH OCTADECYL UNENDCAPPED BONDED SILICA Irregular particles 40-63 micron, 60 Angstrom pores 079451-YM

		Specification Values		<u>Lot Analysis</u>
Test Average Pore Size Surface Area (m ² /g) Pore Volume (cm ³ /g) pH EUC18	<u>Method</u> SOP82-4.042 SOP82-4.042 SOP82-4.042 Supplier	<u>Min</u> 55Å 470 0.70 6.5	<u>Max</u> 65Å 530 0.85 7.5	60Å 493m ² /g 0.70 cm ³ /g 7.0
Appearance Carbon Analysis by Weight (Organic Loading)	Visual SOP82-4.024	White H 20.5%	Fine Powder 22.20%	White Fine Powder 21.67%

The shelf life is only valid if the material is stored in the original unopened container. The specifications and lot analysis are only valid using the listed methods. The test methods and specifications were current when the product was lotted.

CERTIFIED BY: NAME: D. Kearns

TITLE: QC Analyst

Certificate issue DATE: 11/09/2023

2731 Bartram Road / Bristol, PA 19007 USA / Phone 215-781-9255 / Fax 215-785-1226 Email: info@unitedchem.com Internet: HTTP://www.unitedchem.com